

CỘNG HÒA XÃ HỘI CHỦ NGHĨA VIỆT NAM
Độc lập - Tự do - Hạnh phúc

BẢN CÔNG BỐ SẢN PHẨM

Số: 06/LIENPHONG/2021

I. Thông tin về tổ chức công bố sản phẩm:

Tên tổ chức: **CÔNG TY TNHH XUẤT NHẬP KHẨU LIÊN PHONG**

Địa chỉ: Tầng 3, sàn TM06, tòa nhà N01T1 Khu ngoại giao đoàn, đường Nguyễn Văn
Huyên kéo dài, phường Xuân Tảo, Quận Bắc Từ Liêm, Thành phố Hà Nội, Việt Nam

Điện thoại: 097.6514.358

E-mail:

Mã số doanh nghiệp: 0108336848

II. Thông tin về sản phẩm

1. Tên sản phẩm: Sản phẩm dinh dưỡng công thức với mục đích ăn bổ sung cho trẻ từ 6 - 12 tháng tuổi Blackmores Follow-on Formula

2. Thành phần:

Sữa bột (milk solids), hỗn hợp dầu thực vật*, galacto-oligosaccharide (GOS), lactose, chất nhũ hóa (Lecithin đậu nành, Mono-and Di-glycerides), dầu docosahexaenoic axit (DHA), dầu arachidonic axit (ARA), taurine, nucleotides (5'-CMP, 5'-AMP, di Sodium 5'-UMP, di Sodium 5'-IMP, di Sodium 5'-GMP), lutein, chất chống oxy hóa (Ascorbyl palmitate, tocopherol cô đặc, dạng hỗn hợp), inositol.

Khoáng chất (Canxi cacbonat, kali clorua, di natri photphat, magie clorua, ferric pyrophosphate, kẽm sulfat, tri canxi photphat, đồng sulfat, mangan sulfat, kali I ốt, natri selenit).

Các vitamin (L-natri ascorbat (vitamin C), d-alpha tocopheryl acetate (vitamin E), retinyl acetate (vitamin A), nicotinamide (vitamin B3), colecalciferol (vitamin D), canxi pantothenat (vitamin B5), thiamin hydrochloride (vitamin B1), riboflavin (vitamin B2), pyridoxine hydrochloride (vitamin B6), axit folic (vitamin B9), phytonadione (vitamin K1), D-biotin, cyanocobalamin (vitamin B12).

Lưu ý: Sản phẩm chứa sữa và đậu nành.

Blackmores Follow-on formula sử dụng đạm sữa bò.

Không dùng cho trẻ mẫn cảm với các thành phần trên.

3. Thời hạn sử dụng sản phẩm: 2 năm kể từ ngày sản xuất. Hộp đã mở, sử dụng trong vòng 4 tuần.

4. Quy cách đóng gói và chất liệu bao bì:



- Chất liệu bao bì: Sản phẩm được đóng gói trong hộp tráng thiếc, đảm bảo yêu cầu vệ sinh an toàn thực phẩm của Bộ Y tế.

- Quy cách đóng gói: Khối lượng tịnh: 900 g/hộp hoặc theo quy cách ghi trên bao bì sản phẩm.

5. Tên và địa chỉ cơ sở sản xuất sản phẩm:

Sản phẩm của Blackmores Ltd, địa chỉ: 20 đại lộ Jubilee Warriewood NSW 2102, Úc; được sản xuất và đóng gói bởi Snow Brand Australia Pty Ltd, địa chỉ: 21 phố Mactier, Tatura, Victoria 3616 Úc.

III. Mẫu nhãn sản phẩm: Xem mẫu nhãn đính kèm.

IV. Yêu cầu về an toàn thực phẩm: Tổ chức, cá nhân sản xuất, kinh doanh thực phẩm đạt yêu cầu an toàn thực phẩm theo:

- QCVN 11-3:2012/BYT: Quy chuẩn kỹ thuật quốc gia đối với sản phẩm dinh dưỡng công thức với mục đích ăn bổ sung cho trẻ từ 6 đến 36 tháng tuổi.

Chúng tôi xin cam kết thực hiện đầy đủ các quy định của pháp luật về an toàn thực phẩm và hoàn toàn chịu trách nhiệm về tính pháp lý của hồ sơ công bố và chất lượng, an toàn thực phẩm đối với sản phẩm đã công bố và chỉ đưa sản phẩm vào sản xuất, kinh doanh khi đã được cấp Giấy tiếp nhận đăng ký bản công bố sản phẩm./.

Hà Nội, ngày 24 tháng 12 năm 2021

ĐẠI DIỆN TỔ CHỨC, CÁ NHÂN



GIÁM ĐỐC
Nguyễn Thị Liên

848
G TY
HH
ẬP
PHO
HỒ

MẪU NHẪN PHỤ

Sản phẩm dinh dưỡng công thức với mục đích ăn bổ sung cho trẻ từ 6 - 12 tháng tuổi **Blackmores Follow-on Formula**

Thành phần: Sữa bột (milk solids), hỗn hợp dầu thực vật*, galacto-oligosaccharide (GOS), lactose, chất nhũ hóa (Lecithin đậu nành, Mono-and Di-glycerides), dầu docosahexaenoic axit (DHA), dầu arachidonic axit (ARA), taurine, nucleotides (5'-CMP, 5'-AMP, di Sodium 5'-UMP, di Sodium 5'-IMP, di Sodium 5'-GMP), lutein, chất chống oxy hóa (Ascorbyl palmitate, tocopherol cô đặc, dạng hỗn hợp), inositol.

Khoáng chất (Canxi cacbonat, kali clorua, di natri phốt phát, magie clorua, ferric pyrophosphate, kẽm sulfat, tri canxi phốt phát, đồng sulfat, mangan sulfat, kali I ốt, natri selenit).

Các vitamin (L-natri ascorbat (vitamin C), d-alpha tocopheryl acetate (vitamin E), retinyl acetate (vitamin A), nicotinamide (vitamin B3), colecalciferol (vitamin D), canxi pantothenat (vitamin B5), thiamin hydrochloride (vitamin B1), riboflavin (vitamin B2), pyridoxine hydrochloride (vitamin B6), axit folic (vitamin B9), phytonadione (vitamin K1), D-biotin, cyanocobalamin (vitamin B12)).

Lưu ý: Sản phẩm chứa sữa và đậu nành.

Blackmores Follow-on formula sử dụng đạm sữa bò.

Không dùng cho trẻ mẫn cảm với các thành phần trên.

Đối tượng sử dụng: Trẻ em từ 6-12 tháng tuổi.

Hướng dẫn lượng cho ăn - Cho một lần ăn

Độ tuổi	Lượng nước đun sôi để nguội (ml)	Số lượng muỗng bột	Số bữa ăn/ngày
6-12 tháng	180	3	4-5

Mỗi muỗng bột gạt ngang miệng = 8.8 g sữa bột. Lưu ý: Mỗi muỗng bột pha với 60 ml nước được khoảng 67 ml sữa pha. Con bạn có thể cần nhiều hoặc ít hơn hướng dẫn. Tới giai đoạn này trẻ nên được cho ăn thêm thức ăn dạng lỏng cùng với sữa công thức.

Hướng dẫn pha sữa và sử dụng:

1. Rửa tay và tất cả dụng cụ trước khi pha sữa.
2. Tiệt trùng tất cả dụng cụ trong nước sôi trong vòng 5 phút hoặc bằng dụng cụ tiệt trùng đạt chuẩn.
3. Đun sôi nước trong vòng 5 phút và để nguội.
4. Khi nước nguội, lấy đúng lượng nước và sữa bột theo bảng Hướng dẫn lượng cho ăn.
5. Chỉ sử dụng muỗng kèm trong hộp sữa, nhẹ nhàng lấy đầy muỗng sữa và gạt bằng thanh gạt trong hộp. Cho bột vào nước đã chuẩn bị, đóng chặt nắp và lắc cho tới khi sữa hòa tan hết.
6. Kiểm tra nhiệt độ sữa đã pha bằng cổ tay bạn, sau đó cho trẻ ăn.

Luôn pha sữa riêng và mới cho từng bữa ăn. Đổ bỏ phần sữa thừa; không giữ lại để cho trẻ ăn lần sau. Lý tưởng nhất là sữa nên được pha ngay trước khi cho trẻ ăn. Nếu không, bảo quản sữa đã pha trong ngăn mát tủ lạnh và cho trẻ dùng trong vòng 24 giờ.

Lưu ý: Không sử dụng nếu phần nắp thiếc bị bể. Luôn đóng chặt nắp nhựa sau mỗi lần dùng. Bột sữa có thể bị lắng, dồn lại trong quá trình vận chuyển.

Thông tin cảnh báo: Tuân thủ đúng theo hướng dẫn. Không thay đổi tỷ lệ sữa bột trừ khi có chỉ định y tế. Pha sữa không đúng cách có thể dẫn tới con bạn bị ốm. Không nên dùng cho trẻ dưới 6 tháng tuổi.

CHÚ Ý: Sữa mẹ là thức ăn tốt cho sức khỏe và sự phát triển toàn diện của trẻ nhỏ. Các yếu tố chống nhiễm khuẩn, đặc biệt là kháng thể chỉ có trong sữa mẹ có tác dụng giúp trẻ phòng, chống bệnh tiêu chảy, nhiễm khuẩn đường hô hấp và một số bệnh nhiễm khuẩn khác. Chỉ sử dụng sản phẩm này theo chỉ dẫn của bác sĩ. Pha chế theo đúng hướng dẫn. Cho trẻ ăn bằng cốc, thìa hợp vệ sinh.

Hướng dẫn bảo quản: Bảo quản hộp ở nơi khô ráo, thoáng mát (như nơi chứa thức ăn). Tránh trữ sản phẩm quá lâu ở nơi có nhiệt độ cao. Sử dụng sản phẩm trong vòng 4 tuần kể từ khi mở hộp.

Ngày sản xuất: Xem MFG (ngày/tháng/năm) in dưới đáy hộp

Hạn sử dụng: Xem USE BY (ngày/tháng/năm) in dưới đáy hộp

Quy cách đóng gói: Khối lượng tịnh 900 g

Xuất xứ: Úc

Nhà sản xuất: Sản phẩm của Blackmores Ltd, địa chỉ: 20 đại lộ Jubilee Warriewood NSW 2102, Úc; được sản xuất và đóng gói bởi Snow Brand Australia Pty Ltd, địa chỉ: 21 phố Mactier, Tatura, Victoria 3616 Úc.

Nhập khẩu, phân phối và chịu trách nhiệm về sản phẩm: CÔNG TY TNHH XUẤT NHẬP KHẨU LIÊN PHONG, địa chỉ: Tầng 3, sàn TM06, tòa nhà N01T1 Khu ngoại giao đoàn, đường Nguyễn Văn Huyền kéo dài, phường Xuân Tảo, Quận Bắc Từ Liêm, Thành phố Hà Nội, Việt Nam. Hotline: 18006982

MẪU NHÃN HỘP DÙNG THÔNG QUAN



Blackmores Follow-on Formula is made using the highest quality ingredients and milk sourced from grass-fed cows in the lush pastures of Australia. Enriched with a special blend of nutrients, Blackmores Follow-on Formula is nutritionally complete to meet the needs of your baby (6-12 months).

STAGE 1
Newborn
Formula

STAGE 2
Follow-on
Formula

STAGE 3
Toddler
Milk Drink

FEEDING GUIDE - TO PREPARE ONE FEED

Age of Infant	Cooled Boiled Water (mL)	Level Scoops of	Formula per Day
6-12 months	180 mL	3	4-6

One level scoop = 8.8 g of formula. Note: One scoop of powder added to 60 mL water yields approximately 67 mL of formula. Your baby may need more or less than indicated. Ideally formula should be prepared just prior to feeding. Otherwise refrigerate prepared formula and use within 24 hours. Only use the enclosed scoop. **SOLID FOODS SHOULD BE OFFERED IN ADDITION TO FOLLOW-ON FORMULA.**

BLACKMORES NUTRITION ADVICE

AUS: 1800 808 669 Blackmores.com.au/nutrition
 NZ: 0508 75 74 73 Blackmoresnz.co.nz/nutrition
 CN: 400 1198 878 Blackmores.com.cn/nutrition

PRODUCT INFORMATION

Do not use if seal is broken. Always replace plastic lid after use. Store can in a cool, dry place (e.g. pantry). Avoid prolonged storage at excessive temperatures. Use contents of can within four weeks of opening. Use by Date and Batch code are located on the base of this can. Fill is by weight, not volume. Some settling of the powder may occur.

Blackmores LTD 20 Jubilee Avenue Warriewood NSW 2102.



31763F

HOW TO PREPARE



1. Wash hands and all equipment before preparing formula.



2. Sterilise all equipment by boiling for five minutes or by using an approved steriliser.



3. Boil fresh drinking water for five minutes and leave to cool.



4. When cool, measure out the required amount of water and formula by consulting the FEEDING GUIDE.



5. Using only the scoop provided, lightly fill one measurement of the powder and use levelling blade on tin. Pour powder into the prepared water cap bottle and shake until the powder is dissolved.



6. Check the formula temperature with your wrist, then feed immediately.

Always prepare each bottle separately and freshly for every feed. Discard unused portions; do not keep for later feeding.



Made in Australia
from at least 67%
Australian Ingredients



IMPORTANT INFORMATION

BREAST MILK IS BEST FOR BABIES.
BEFORE YOU DECIDE TO USE THIS
PRODUCT, CONSULT YOUR DOCTOR
OR HEALTH WORKER FOR ADVICE.
WARNING: FOLLOW INSTRUCTIONS
EXACTLY. PREPARE BOTTLES AND
TEATS AS DIRECTED. DO NOT
CHANGE PROPORTIONS OF
POWDER EXCEPT ON MEDICAL
ADVICE. INCORRECT PREPARATION
CAN MAKE YOUR BABY VERY ILL.
SHOULD NOT BE USED FOR
CHILDREN UNDER 6 MONTHS.

NUTRITIONAL INFORMATION

	Unit	Average Quantity Per 100 mL of Prepared Formula
Energy		
Protein	g	2.7
Fat	g	2.2
Linoleic Acid	g	0.12
alpha-Linolenic Acid (ALA)	g	0.10
Docosahexaenoic Acid (DHA)	mg	4.8
Arachidonic Acid (ARA)	mg	15.8
Carbohydrate	g	5.24
Galactooligosaccharide (GOS)	g	0.67
Sodium	mg	5.8
Potassium	mg	5.4
Chloride	mg	7.4
Vitamins		
Vitamin A	µg RE	66.0
Vitamin D	µg	0.56
Vitamin E	mg α-TE	0.36
Vitamin K1	µg	5.29
Thiamin (vitamin B1)	µg	66.0
Riboflavin (vitamin B2)	µg	20.7
Niacin (vitamin B3)	µg	12.5
Vitamin B5	µg	12.5
Vitamin B6	µg	12.5
Vitamin B9	µg	12.5
Folate (vitamin B9)	µg	12.5
Folate	µg	12.5
Pantothenic Acid (vitamin B5)	µg	56.0
Vitamin C	mg	9.30
Biotin	µg	1.58
Minerals		
Copper	µg	5.1
Copper	µg	7.0
Magnesium	mg	2.97
Iron	mg	1.15
Zinc	mg	1.15
Manganese	µg	68.0
Calcium	mg	42.2
Phosphorus	mg	3.24
Iodine	µg	1.58
Selenium	µg	1.58
Others		
Inositol	mg	5.18
Taurine	mg	1.57
Nucleotides	mg	0.55
CMP	mg	0.15
AMP	mg	0.15
UMP	mg	0.15
IMP	mg	0.15
GMP	mg	0.15
Lutein	µg	5.04

INGREDIENTS

Milk Solids, Vegetable Oil Blend*, Galacto-oligosaccharide (GOS),
Lactose, Inulin, (Soy) Lecithin, Mono- and Di-glycerides,
Docosahexaenoic Acid Oil (DHA), Arachidonic Acid Oil (ARA), Taurine,
Nucleotides (5'-CMP, 5'-AMP, 5'-UMP, 5'-IMP), di Sodium 5'-UMP,
di Sodium 5'-GMP, Lutein, Antioxidants (Ascorbyl Palmitate,
Tocopherols Concentrate, Mixed) and Inositol.
Minerals (Calcium Carbonate, Potassium Chloride, di Sodium
Phosphate, Magnesium Chloride, Ferric Pyrophosphate, Zinc
Sulphate, tri Calcium Phosphate, Copper Sulphate, Manganese
Sulphate, Potassium Iodide, Sodium Selenite).
Vitamins (L-Sodium Ascorbate (Vitamin C), d-alpha-Tocopheryl Acetate
(Vitamin E), Retinyl Acetate (Vitamin A), Nicotinamide (Vitamin B3),
Calcitriol (Vitamin D), Calcium Pantothenate (Vitamin B5), Thiamin
Hydrochloride (Vitamin B1), Riboflavin (Vitamin B2), Pyridoxine
Hydrochloride (Vitamin B6), Folic Acid (Vitamin B9), Phytonadione
(Vitamin K1), D-Biotin, Cyanocobalamin (Vitamin B12)).


CONTAINS MILK AND SOY.
Beckmores Follow-on Formula is based on cow's milk protein.

*For more information, visit www.beckmores.com.au

MẪU NHÃN HỘP DÙNG LƯU HÀNH TẠI VIỆT NAM



Blackmores Follow-on Formula is made using high quality ingredients and milk sourced from grass-fed cows in the lush pastures of Australia. Enriched with a special blend of nutrients, Blackmores Follow-on Formula is nutritionally complete to meet the needs of your baby (6-12 months).



FEEDING GUIDE - TO PREPARE ONE FEED

Age of Infant	Cooled Boiled Water (ml.)	Level Scoops of	Formula per Day
6-12 months	180 ml	3	4-5

One level scoop = 8.8 g of formula. Note: One scoop of powder added to 60 ml water yields approximately 67 ml of formula. Your baby may need more or less than indicated. Ideally formula should be prepared just prior to feeding. Otherwise refrigerate prepared formula and use within 24 hours. Only use the enclosed scoop. **SOLID FOODS SHOULD BE OFFERED IN ADDITION TO FOLLOW-ON FORMULA.**

BLACKMORES NUTRITION ADVICE

AUS: 1800 808 669 Blackmores.com.au/nutrition
 NZ: 0508 75 74 73 Blackmoresnz.co.nz/nutrition
 CN: 400 1198 878 Blackmores.com.cn/nutrition

PRODUCT INFORMATION

Do not use if seal is broken. Always replace the lid after use. Store can in a cool, dry place (e.g. pantry), avoid prolonged storage at excessive temperatures. Use contents of can within four weeks of opening. Use by Date and Batch code are located on the base of this can. Fill is by weight, not volume. Some settling of the powder may occur.

Blackmores LTD 20 Jubilee Avenue Warriewood NSW 2102.



31763F

HOW TO PREPARE



1. Wash hands and all equipment before preparing formula.



2. Sterilise all equipment by boiling for five minutes or by using an approved steriliser.



3. Boil fresh drinking water for five minutes and leave to cool.



4. When cool, measure out the required amount of water and formula by consulting the FEEDING GUIDE.



5. Using only the scoop provided, lightly fill one measurement of the powder and use levelling blade on tin. Pour powder into the prepared water in bottle and shake until the powder is dissolved.



6. Check the formula temperature with your wrist, then feed immediately.

Always prepare each bottle separately and freshly for every feed. Discard any portions; do not keep for later feeding.



PRINTED IN AUSTRALIA

Made in Australia
from at least 67%
Australian ingredients



IMPORTANT INFORMATION

BREAST MILK IS BEST FOR BABIES.
BEFORE YOU DECIDE TO USE THIS
PRODUCT, CONSULT YOUR DOCTOR
OR HEALTH WORKER FOR ADVICE.
WARNING: FOLLOW INSTRUCTIONS
EXACTLY. PREPARE BOTTLES AND
TEATS AS DIRECTED. DO NOT
CHANGE PROPORTIONS OF
POWDER EXCEPT ON MEDICAL
ADVICE. INCORRECT PREPARATION
CAN MAKE YOUR BABY VERY ILL.
SHOULD NOT BE USED FOR
CHILDREN UNDER 6 MONTHS.

NUTRITIONAL INFORMATION

	100g	Average Quantity Per 100ml of reconstituted milk
Energy		
Protein	4.2	2.1
Fat	0	0
Linoleic Acid	0	0
alpha-Linolenic Acid (ALA)	0	0
Docosahexaenoic Acid (DHA)	mg	0.30
Arachidonic Acid (ARA)	mg	0.15
Carbohydrate	9	4.5
Galacto-oligosaccharide (GOS)	g	0.07
Sodium	mg	0.4
Potassium	mg	0.1
Chloride	mg	0.1
Vitamins		
Vitamin A	µg RE	6.0
Vitamin D	µg	0.30
Vitamin E	mg α-TE	0.30
Vitamin K1	µg	5.28
Thiamin (vitamin B1)	µg	0.07
Riboflavin (vitamin B2)	µg	0.07
Vitamin B3	µg	0.15
Vitamin B5	µg	0.15
Niacin (vitamin B3)	mg	0.15
Folate	µg	1.02
Pantothenic Acid (vitamin B5)	µg	0.08
Vitamin C	mg	0.08
Biotin	µg	1.08
Minerals		
Copper	µg	0.1
Magnesium	mg	0.07
Iron	mg	0.15
Zinc	µg	0.15
Calcium	mg	0.08
Phosphorus	mg	0.08
Iodine	µg	1.08
Selenium	µg	0.08
Others		
Inositol	mg	0.07
Taurine	mg	0.07
Nucleotides	mg	0.15
CMP	mg	0.05
AMP	mg	0.05
UMP	mg	0.15
IMP	mg	0.05
GMP	µg	0.04
Lutein	µg	0.04

INGREDIENTS

Milk Solids, Vegetable Oil Blend*, Galacto-oligosaccharide (GOS),
Lactose, Lactulose (Soy Lactin, Mono- and Di-glycerides),
Docosahexaenoic Acid Oil (DHA), Arachidonic Acid Oil (ARA), Taurine,
Nucleotides (5'-CMP, 5'-AMP, di Sodium 5'-UMP, di Sodium 5'-IMP,
di Sodium 5'-GMP), Lutein, Antioxidants (Ascorbyl Palmitate,
Tocopherols Concentrate, Mixed) and Inositol.
Minerals (Calcium Carbonate, Potassium Chloride, di Sodium
Phosphate, Magnesium Chloride, Ferric Pyrophosphate, Zinc
Sulphate, tri Calcium Phosphate, Copper Sulphate, Manganese
Sulphate, Potassium Iodide, Sodium Selenite).
Vitamins (L-Sodium Ascorbate (Vitamin C), d-alpha Tocopheryl Acetate
(Vitamin E), Retinyl Acetate (Vitamin A), Nicotinamide (Vitamin B3),
Calciferol (Vitamin D), Calcium Pantothenate (Vitamin B5), Thiamin
Hydrochloride (Vitamin B1), Riboflavin (Vitamin B2), Pyridoxine
Hydrochloride (Vitamin B6), Folic Acid (Vitamin B9), Phytonadione
(Vitamin K1), D-Biotin, Cyanocobalamin (Vitamin B12)).

CONTAINS MILK AND SOY.
Blackmores Follow-on Formula is based on cow's milk protein.

*For more information, visit www.blackmores.com.au