

SỞ Y TẾ HÀ NỘI
CHI CỤC AN TOÀN
VỆ SINH THỰC PHẨM

CỘNG HÒA XÃ HỘI CHỦ NGHĨA VIỆT NAM
Độc lập - Tự do - Hạnh phúc

Hà Nội, ngày ...13... tháng ..9..... năm 2023..

**GIẤY TIẾP NHẬN
ĐĂNG KÝ BẢN CÔNG BỐ SẢN PHẨM**

Số:.....382../2023...../ĐKSP

Chi cục ATVSTP Hà Nội xác nhận đã nhận Bản công bố sản phẩm của:

Tên tổ chức, cá nhân: CÔNG TY TNHH DAILY FOOD VIỆT NAM

Địa chỉ: tầng 8, tòa nhà Sannam, phố Duy Tân, phường Dịch Vọng Hậu,
quận Cầu Giấy, thành phố Hà Nội

Điện thoại: 0983633558

Fax :

Cho sản phẩm: Sản phẩm dinh dưỡng công thức dành cho trẻ từ 6 đến 12
tháng tuổi APTAMIL ADVANCED 6-12 MONTHS FOLLOW ON MILK

Sản phẩm trên do Nutricia Cuijk B.V. sản xuất tại Schuttersweg 12, 5443
PR Haps, The Netherlands, phù hợp QCVN 11-1:2012/BYT Quy chuẩn quốc gia
đối với sản phẩm dinh dưỡng công thức cho trẻ đến 12 tháng tuổi.

Doanh nghiệp phải hoàn toàn chịu trách nhiệm về tính phù hợp của sản
phẩm đã công bố./.

Nơi nhận: 
- Tổ chức, cá nhân;
- Lưu trữ.

CHI CỤC TRƯỞNG



Đặng Thanh Phong

CỘNG HÒA XÃ HỘI CHỦ NGHĨA VIỆT NAM

Độc lập - Tự do - Hạnh phúc

BẢN CÔNG BỐ SẢN PHẨM

Số: 02/DAILYFOOD/2023

I. Thông tin về tổ chức, cá nhân tự công bố sản phẩm

Tên tổ chức, cá nhân: **CÔNG TY TNHH DAILY FOOD VIỆT NAM**

Địa chỉ: Tầng 8, Toà nhà Sannam, phố Duy Tân, phường Dịch Vọng Hậu, quận Cầu Giấy, thành phố Hà Nội.

Điện thoại: 0983633558

Fax:

E-mail:

Mã số doanh nghiệp: 0109748266

II. Thông tin về sản phẩm

1. Tên sản phẩm: SẢN PHẨM DINH DƯỠNG CÔNG THỨC DÀNH CHO TRẺ 6 ĐẾN 12 THÁNG TUỔI APTAMIL ADVANCED 6-12 MONTHS FOLLOW ON MILK

2. Thành phần:

Lactose (từ sữa), Sữa tách béo, Dầu thực vật (Dầu hướng dương, Dầu hạt cải, dầu hướng dương giàu oleic, Dầu dừa), whey khử khoáng (từ sữa), chất béo sữa khan, Galacto-oligosaccharides (GOS) (từ sữa), váng sữa cô đặc (từ sữa), Protein sữa, Phospholipid (từ trứng), Calci phosphate, Fructo-oligosaccharide (FOS), Dầu cá, 2'Fucosyllactose (2'FL), Kali chloride, Magie chloride, Kali citrate, Natri citrate, Vitamin C, dầu từ Mortierella Alpina, Choline chloride, Calci carbonate, Taurine, Inositol, chất nhũ hóa (lecithin hướng dương), sắt sunfat, L-Carnitine, L-Tryptophan, kẽm sunfat, Cytidine 5'-monophosphate, muối Uridine 5'-monophosphate natri, Adenosine 5'-monophosphate, muối inosine 5'-monophosphate natri, Nicotinamide, Vitamin E, Pantothenic acid, Chất chống oxy hóa (ascorbyl palmitate), muối Guanosine 5'-monophosphate natri, đồng sunfat, Vitamin A, Thiamin, Riboflavin, Vitamin B6, Kali iodide, Folic acid, Mangan sunfat, Natri selenite, Vitamin K1, Vitamin D3, Biotin, Vitamin B12.

Lời khuyên dị ứng: đối với chất có thể gây dị ứng, xem thành phần **in đậm**.

3. Thời hạn sử dụng sản phẩm: 24 tháng kể từ ngày sản xuất. Xem hạn sử dụng (Best before) in dưới đáy hộp.



4. Quy cách đóng gói và chất liệu bao bì:

- Chất liệu bao bì: Sản phẩm được đựng trực tiếp trong hộp thiếc kín đảm bảo vệ sinh An toàn thực phẩm theo quy định của Bộ Y Tế.
- Quy cách đóng gói: Khối lượng tịnh 800g/hộp

5. Tên và địa chỉ cơ sở sản xuất sản phẩm:

Xuất xứ: Hà Lan

Nhà sản xuất: Nutricia Cuijk B.V.,

Địa chỉ: Schuttersweg 12, 5443 PR Haps, The Netherlands.

III. Mẫu nhãn sản phẩm (đính kèm mẫu nhãn sản phẩm).

IV. Yêu cầu về an toàn thực phẩm

Tổ chức, cá nhân sản xuất, kinh doanh thực phẩm đạt yêu cầu về an toàn thực phẩm theo:

QCVN 11-1:2012/BYT: Quy chuẩn kỹ thuật quốc gia đối với sản phẩm dinh dưỡng công thức dành cho trẻ đến 12 tháng tuổi.

Chúng tôi xin cam kết thực hiện đầy đủ các quy định của pháp luật về an toàn thực phẩm và hoàn toàn chịu trách nhiệm về tính pháp lý của hồ sơ công bố và chất lượng, an toàn thực phẩm đối với sản phẩm đã công bố và chỉ đưa sản phẩm vào sản xuất, kinh doanh khi đã được cấp Giấy tiếp nhận đăng ký bản công bố sản phẩm./.

Hà Nội, ngày 25 tháng 08 năm 2023

ĐẠI DIỆN CÔNG TY

GIÁM ĐỐC



Phạm Khắc Cường

NHÃN PHỤ SẢN PHẨM

1. Tên sản phẩm: SẢN PHẨM DINH DƯỠNG CÔNG THỨC DÀNH CHO TRẺ 6 ĐẾN 12 THÁNG TUỔI APTAMIL ADVANCED 6-12 MONTHS FOLLOW ON MILK

2. Thành phần:

Lactose (từ sữa), Sữa tách béo, Dầu thực vật (Dầu hướng dương, Dầu hạt cải, dầu hướng dương giàu oleic, Dầu dừa), whey khử khoáng (từ sữa), chất béo sữa khan, Galacto-oligosaccharides (GOS) (từ sữa), váng sữa cô đặc (từ sữa), Protein sữa, Phospholipid (từ trứng), Calci phosphate, Fructo-oligosaccharide (FOS), Dầu cá, 2'Fucosyllactose (2'FL), Kali chloride, Magie chloride, Kali citrate, Natri citrate, Vitamin C, dầu từ Mortierella Alpina, Choline chloride, Calci carbonate, Taurine, Inositol, chất nhũ hóa (lecithin hướng dương), sắt sunfat, L-Carnitine, L-Tryptophan, kẽm sunfat, Cytidine 5'-monophosphate, muối Uridine 5'-monophosphate natri, Adenosine 5'-monophosphate, muối inosine 5'-monophosphate natri, Nicotinamide, Vitamin E, Pantothenic acid, Chất chống oxy hóa (ascorbyl palmitate), muối Guanosine 5'-monophosphate natri, đồng sunfat, Vitamin A, Thiamin, Riboflavin, Vitamin B6, Kali iodide, Folic acid, Mangan sunfat, Natri selenite, Vitamin K1, Vitamin D3, Biotin, Vitamin B12.

Lời khuyên dị ứng: đối với chất có thể gây dị ứng, xem thành phần in đậm.

3. Thời hạn sử dụng sản phẩm: 24 tháng kể từ ngày sản xuất. Xem ngày sản xuất (Prod date) và hạn sử dụng (Best Before) in dưới đáy hộp.

4. Quy cách đóng gói: Khối lượng tịnh 800g/hộp

5. Hướng dẫn sử dụng và bảo quản:

***/ Đối tượng sử dụng:** Trẻ nhỏ từ 6-12 tháng tuổi.

***/ Hướng dẫn sử dụng:** Vì sữa bột không vô trùng nên việc không tuân theo các hướng dẫn có thể khiến trẻ bị bệnh.

1. Rửa tay và khử trùng tất cả các dụng cụ theo hướng dẫn của nhà sản xuất
2. Đun sôi 1 lít nước. Để ấm nguội trong 30 phút và không lâu hơn. Đo lường nước cần thiết (tham khảo hướng dẫn cho ăn) vào bình đã tiệt trùng. Cảnh thận bị bỏng. Không sử dụng nước được làm mềm nhân tạo hoặc đun sôi nhiều lần.
3. Sử dụng muỗng được cung cấp, thêm bột đã được gạt lường vào cốc. Không ấn/nén bột
4. Thêm đúng lượng bột vào nước. Thêm quá nhiều hoặc quá ít muỗng có thể gây hại. Đậy nắp đã khử trùng vào bình sữa và lắc mạnh ngay lập tức, theo chiều thẳng đứng trong ít nhất 10 giây, cho đến khi bột được hòa tan.
5. Làm mát dưới vòi nước chảy. Kiểm tra nhiệt độ và cho bé dùng ngay lập tức.

***/ Bảng hướng dẫn liều lượng:**

Sau 6 tháng, khi việc ăn dặm đã được thiết lập, chúng tôi khuyên bạn nên cho bé ăn khoảng 500-600ml mỗi ngày.



	Số lượng muỗng cho mỗi lần uống	Lượng nước cho mỗi lần uống	
	(1 muỗng = 4.8g)	ml	fl oz
Tương đương 1 cốc	7	210	7

Tham khảo ý kiến chuyên gia chăm sóc sức khỏe của bạn nếu bạn cần thêm lời khuyên.

Luôn sử dụng muỗng được cung cấp, xin lưu ý rằng màu sắc của muỗng trong gói này có thể thay đổi theo thời gian.

***/ Hướng dẫn bảo quản:**

Bảo quản ở nơi khô ráo, thoáng mát trước và sau khi mở nắp. Không bảo quản lạnh. Sử dụng bột trong vòng 4 tuần sau khi mở nắp.

Cảnh báo: Pha đồ uống cho từng lần sử dụng theo nhu cầu. Vì lý do vệ sinh, không cất giữ đồ uống đã pha, loại bỏ đồ uống còn dư càng sớm càng tốt và luôn dùng trong vòng 2 giờ. Không làm nóng đồ uống trong lò vi sóng, các điểm nóng có thể xảy ra và gây bỏng. Không bao giờ thêm sữa hoặc bất cứ thứ gì khác vào đồ uống của bé. Không bao giờ để bé của bạn một mình trong khi ăn.

Khi cho bé bú bình, không để sữa tiếp xúc lâu hoặc thường xuyên với răng của bé vì điều này làm tăng nguy cơ sâu răng. Hỏi chuyên gia chăm sóc sức khỏe hoặc nha sĩ của bạn để được tư vấn. Hãy chắc chắn rằng răng của bé được làm sạch sau lần bú cuối cùng vào ban đêm.

CHÚ Ý: Sữa mẹ là thức ăn tốt nhất cho sức khỏe và sự phát triển toàn diện của trẻ nhỏ. Các yếu tố chống nhiễm khuẩn, đặc biệt là kháng thể chỉ có trong sữa mẹ có tác dụng giúp trẻ phòng, chống bệnh tiêu chảy, nhiễm khuẩn đường hô hấp và một số bệnh nhiễm khuẩn khác.

Chỉ sử dụng sản phẩm này theo chỉ dẫn của bác sĩ. Pha chế theo đúng hướng dẫn. Cho trẻ ăn bằng cốc, thìa hợp vệ sinh.

6. Số ĐKSP:

7. Xuất xứ và thương nhân chịu trách nhiệm sản phẩm:

Xuất xứ: Hà Lan

Nhà sản xuất: Nutricia Cuijk B.V.,

Địa chỉ: Schuttersweg 12, 5443 PR Haps, The Netherlands.

Thương nhân nhập khẩu và chịu trách nhiệm sản phẩm:

CÔNG TY TNHH DAILY FOOD VIỆT NAM

Địa chỉ: Tầng 8, Toà nhà Sannam, phố Duy Tân, phường Dịch Vọng Hậu, quận Cầu Giấy, thành phố Hà Nội.

Phân phối bởi: **CÔNG TY TNHH THƯƠNG MẠI HOÀNG LÊ**

Địa chỉ: 838 Bạch Đằng- P. Thanh Lương – Q. Hai Bà Trưng Hà Nội



GIÁM ĐỐC

Phạm Khắc Cường

NUTRITION INFORMATION

INGREDIENTS

Typical values per 100 ml prepared feed	
Energy	285kJ 68kcal
Fat	3.2g
of which, saturates	1.5g
of which, mono-unsaturates	1.1g
of which, polyunsaturates	0.6g
of which, LCPs [†]	0.030g
- Arachidonic acid (AA)	0.009g
- Docosahexaenoic acid (DHA)	0.017g
of which, EFAs ^{††}	0.520g
- Linoleic acid (LA)	0.466g
- Alpha-linoleic acid (ALA)	0.054g
Carbohydrate	8.2g
of which, sugars	8.1g
of which, lactose	7.8g
of which, polyols	0.007g
- Inositol	0.007g
Fibre	0.6g
of which, GOS [°]	0.48g
of which, FOS [°]	0.08g
of which, 2'-FL [‡]	0.05g

Lactose (from **milk**), Skimmed **milk**, Vegetable oils (Sunflower oil, Rapeseed oil, High oleic sunflower oil, Coconut oil), Demineralised whey (from **milk**), Anhydrous **milk** fat, Galacto-oligosaccharides (GOS) (from **milk**), Whey concentrate (from **milk**), **Milk** protein, Phospholipid (from **egg**), Calcium phosphate, Fructo-oligosaccharides (FOS), **Fish** oil, 2'-Fucosyllactose (2'-FL), Potassium chloride, Magnesium chloride, Potassium citrate, Sodium citrate, Vitamin C, Oil from Mortierella Alpina, Choline chloride, Calcium carbonate, Taurine, Inositol, Emulsifier (Sunflower lecithin), Ferrous sulphate, L-Carnitine, L-Tryptophan, Zinc sulphate, Cytidine 5'-monophosphate, Uridine 5'-monophosphate sodium salt, Adenosine 5'-monophosphate, Inosine 5'-monophosphate sodium salt, Nicotinamide, Vitamin E, Pantothenic acid, Antioxidant (Vitamin C), Guanosine 5'-monophosphate sodium salt, Copper sulphate, Vitamin A, Thiamin, Riboflavin, Vitamin B₆, Potassium iodide, Folic acid, Manganese sulphate, Sodium selenite, Vitamin K₁, Vitamin D₃, Biotin, Vitamin B₁₂.



GIÁM ĐỐC

Phạm Khắc Cường

Protein	1.4g
Vitamins	
Vitamin A	60µg (15% [†])
Vitamin D ₃	1.7µg (24% [†])
Vitamin E	0.94mg TE (19% [†])
Vitamin K ₁	3.2µg (27% [†])
Vitamin C	8.5mg (19% [†])
Thiamin (B ₁)	0.05mg (10% [†])
Riboflavin (B ₂)	0.14mg (20% [†])
Niacin (B ₃)	0.46mg (7% [†])
Vitamin B ₆	0.04mg (6% [†])
Folate	13µg (10% [†])
Vitamin B ₁₂	0.11µg (14% [†])
Biotin	1.5µg (15% [†])
Pantothenic acid	0.46mg (15% [†])
Minerals	
Sodium	23.0mg (6% [†])
Potassium	74mg (7% [†])
Chloride	54mg (11% [†])
Calcium	75mg (14% [†])
Phosphorus	50mg (9% [†])
Magnesium	7.0mg (9% [†])
Iron	1.0mg (13% [†])
Zinc	0.48mg (10% [†])
Copper	0.054mg (11% [†])
Manganese	0.005mg (<1% [†])
Fluoride	≤0.006mg
Selenium	3.2µg (16% [†])
Iodine	13µg (16% [†])
Others	
L-Carnitine	2.0mg
Choline	15mg
Taurine	5.1mg
Non-caloric carbohydrates (GOS [‡])	0.2g
Nucleotides	2.4mg

[†]% Reference Intake - a guide to the amount of vitamins and minerals needed per day for infants and young children

[‡]Long-chain polyunsaturated fatty acids

^{††}Essential fatty acids

[‡]Galacto-oligosaccharides / [‡]Fructo-oligosaccharides

[‡]2'-Fucosyllactose

Allergy advice: for allergens, see ingredients in bold.

Important notice

Breastfeeding is best. Follow On Milk is only for babies over 6 months, as part of a mixed diet. It should not be used as a breastmilk substitute before 6 months. The decision to start weaning including the use of this product before 6 months should be made only on the advice of a doctor, dietitian, pharmacist, or other professional responsible for maternal and child care, based on baby's individual needs.

When bottle feeding, do not allow prolonged or frequent contact of milk feeds with your baby's teeth as this increases the risk of tooth decay. Ask your healthcare professional or dentist for advice. Make sure your baby's teeth are cleaned after the last feed at night.

Quality guarantee

This product should reach you in perfect condition. If it is not satisfactory please contact us. This guarantee does not affect your statutory rights.

Nutricia Ltd, White Horse Business Park, Trowbridge, Wiltshire, BA14 0XQ

Nutricia Ireland Ltd, Block 1, Deansgrange Business Park, Deansgrange, Co. Dublin

Manufactured in the E.U.

Nutricia and Aptamil[®] are registered trademarks.

Packaged in a protective atmosphere.

Contents may settle in transit.

We are devoted to providing you and your baby our very best. We don't produce for any supermarket own-label brands.

Follow On Milk

Best Before:

See base of pack



DANONE



Recycle



Phạm Khắc Cường

OUR MOST ADVANCED
FORMULATION*

Inspired by
50 years of
BREASTMILK
RESEARCH

NUTRICIA

Aptamil®
ADVANCED

Suitable in
combination
with breastfeeding
or for formula feeding

2

6 - 12 MONTHS
FOLLOW ON MILK

Vitamin D
to support the
normal function of
the immune system

Our unique blend of
GOS/FOS and 2'FL

Vitamins A, B₂, C
DHA (Omega-3 LCP)
Iron



GIÁM ĐỐC

Phạm Khắc Cường

PREPARING YOUR BABY'S FEED

Because powdered milks are not sterile, failure to follow instructions may make your baby ill.

After 6 months, once weaning is established, we recommend giving your baby about 1 pint (500-600ml) per day.

Aptamil® ADVANCED Follow On Milk helps meet the increased nutritional needs of infants from 6 to 12 months.

This information is given as a guide only. Consult your healthcare professional if you require more advice.

	No. of level scoops per feed (1 scoop = 4.8g)	Quantity of water per feed	
		ml	fl.oz
Approx. 1 beaker	7	210	7

IMPORTANT: Always use the scoop provided, please note the colour of the scoop may change from time to time.



1 Wash hands and sterilise all utensils according to manufacturers' instructions.



Boil 1 litre of freshly run water. Leave kettle to cool for 30 minutes and no longer. Measure the required amount of water (refer to feeding guide) into a sterilised beaker. Be careful of scalding. Do not use artificially softened or repeatedly boiled water.



3 Using the scoop provided, level off the powder with the built in leveller. Do not press/heap the powder.



4 Add the correct measure of powder to the water. Adding too many or too few scoops can be harmful. Place the sterilised lid on the beaker and **shake immediately, vertically and vigorously for at least 10 seconds until the powder is dissolved.**



5 Cool under running tap. Check temperature of feed. Feed immediately.

IMPORTANT FEEDING AND STORAGE ADVICE

- ☑ Make up each feed as required. ☑ For hygiene reasons, do not store made up feeds, discard unfinished feeds as soon as possible, and always within 2 hours. ☑ Do not heat feeds in a microwave, hot spots may occur and cause scalding. ☑ Never add extra scoops or anything else to your baby's feed. ☑ Never leave your baby alone during feeding. ☑ Store powder in a cool, dry place. ☑ Do not refrigerate. ☑ Use powder within 4 weeks of opening.

EVERY LITTLE STEP COUNTS

- ☑ Factory is 100% powered by renewable electricity and sends zero waste to landfill
- ☑ Fully recyclable pack. Click the scoop back into the lid before recycling.



UK: 0800 996 1000
(8:00-20:00 Monday - Friday)
Visit www.aptaclub.co.uk to contact us via
WhatsApp, Facebook Messenger or Live Chat

ROI: 1 800 22 12 34
(8:30-17:30 Monday-Friday)
www.aptaclub.ie / aptaclubireland
ask@aptaclub.ie

800g e



OUR MOST ADVANCED
FORMULATION*

Inspired by
50 years of
BREASTMILK
RESEARCH

NUTRICIA

Aptamil®
ADVANCED

Suitable in
combination
with breastfeeding
or for formula feeding

2

6 - 12 MONTHS
FOLLOW ON MILK

Vitamin D to support the
normal function of the immune
system
Our unique blend of GOS/FOS
and 2'FL**
Vitamins A, B₂, C
DHA (Omega-3 LCP)
Iron

Palm Oil Free
Oil Blend

* Contains iron to support normal cognitive development
** GOS/FOS and 2'FL - our blend of Galacto- and
Fructo-oligosaccharides with 2'-Fucosyllactose.



SUPPORTING YOU ON
YOUR BABY'S JOURNEY
APTAMIL® ADVANCED TODDLER MILK
is tailored for toddlers from 1 to 3 years as
part of a varied, balanced diet.

• With Vitamin D to support the normal function of the immune
system • Our unique blend of GOS/FOS and 2'FL




10463950 031378 4-2
PDS: 125552.01_VI

8 718117 611935



GIÁM ĐỐC
Phạm Khắc Cường

**Tên sản phẩm : Sản phẩm dinh dưỡng công thức dành cho trẻ 6 đến 12 tháng tuổi Aptamil
Advanced 6-12 Months Follow On Milk**



NUTRITION INFORMATION

INGREDIENTS

	Typical values per 100 ml prepared feed
Energy	285kJ 68kcal
Fat	3.2g
of which, saturates	1.5g
of which, mono-unsaturates	1.1g
of which, polyunsaturates	0.6g
of which, LCPs [†]	0.030g
- Arachidonic acid (AA)	0.009g
- Docosahexaenoic acid (DHA)	0.017g
of which, EFAs ^{††}	0.520g
- Linoleic acid (LA)	0.466g
- Alpha-linoleic acid (ALA)	0.054g
Carbohydrate	8.2g
of which, sugars	8.1g
of which, lactose	7.8g
of which, polyols	0.007g
- Inositol	0.007g
Fibre	0.6g
of which, GOS [°]	0.48g
of which, FOS [°]	0.08g
of which, 2'-FL [‡]	0.05g

Lactose (from **milk**), Skimmed **milk**, Vegetable oils (Sunflower oil, Rapeseed oil, High oleic sunflower oil, Coconut oil), Demineralised whey (from **milk**), Anhydrous **milk** fat, Galacto-oligosaccharides (GOS) (from **milk**), Whey concentrate (from **milk**), **Milk** protein, Phospholipid (from **egg**), Calcium phosphate, Fructo-oligosaccharides (FOS), **Fish** oil, 2'-Fucosyllactose (2'-FL), Potassium chloride, Magnesium chloride, Potassium citrate, Sodium citrate, Vitamin C, Oil from Mortierella Alpina, Choline chloride, Calcium carbonate, Taurine, Inositol, Emulsifier (Sunflower lecithin), Ferrous sulphate, L-Carnitine, L-Tryptophan, Zinc sulphate, Cytidine 5'-monophosphate, Uridine 5'-monophosphate sodium salt, Adenosine 5'-monophosphate, Inosine 5'-monophosphate sodium salt, Nicotinamide, Vitamin E, Pantothenic acid, Antioxidant (Vitamin C), Guanosine 5'-monophosphate sodium salt, Copper sulphate, Vitamin A, Thiamin, Riboflavin, Vitamin B₆, Potassium iodide, Folic acid, Manganese sulphate, Sodium selenite, Vitamin K₃, Vitamin D₃, Biotin, Vitamin B₁₂.



GIÁM ĐỐC

Phạm Khắc Cường

H. 17/04/2024 - 1/5

Protein	1.4g
Vitamins	
Vitamin A	60µg (15% [†])
Vitamin D ₃	1.7µg (24% [†])
Vitamin E	0.94mg TE (19% [†])
Vitamin K ₁	3.2µg (27% [†])
Vitamin C	8.5mg (19% [†])
Thiamin (B ₁)	0.05mg (10% [†])
Riboflavin (B ₂)	0.14mg (20% [†])
Niacin (B ₃)	0.46mg (7% [†])
Vitamin B ₆	0.04mg (6% [†])
Folate	13µg (10% [†])
Vitamin B ₁₂	0.11µg (14% [†])
Biotin	1.5µg (15% [†])
Pantothenic acid	0.46mg (15% [†])
Minerals	
Sodium	23.0mg (6% [†])
Potassium	74mg (7% [†])
Chloride	54mg (11% [†])
Calcium	75mg (14% [†])
Phosphorus	50mg (9% [†])
Magnesium	7.0mg (9% [†])
Iron	1.0mg (13% [†])
Zinc	0.48mg (10% [†])
Copper	0.054mg (11% [†])
Manganese	0.005mg (<1% [†])
Fluoride	≤0.006mg
Selenium	3.2µg (16% [†])
Iodine	13µg (16% [†])
Others	
L-Carnitine	2.0mg
Choline	15mg
Taurine	5.1mg
Non-caloric carbohydrates (GOS [‡])	0.2g
Nucleotides	2.4mg

[†]% Reference Intake - a guide to the amount of vitamins and minerals needed per day for infants and young children

[‡]Long-chain polyunsaturated fatty acids

^{††}Essential fatty acids

^{‡‡}Galacto-oligosaccharides / ^{‡‡}Fructo-oligosaccharides

^{‡‡‡}2'-Fucosyllactose

Allergy advice: for allergens, see ingredients in bold.

Important notice

Breastfeeding is best. Follow On Milk is only for babies over 6 months, as part of a mixed diet. It should not be used as a breastmilk substitute before 6 months. The decision to start weaning including the use of this product before 6 months should be made only on the advice of a doctor, dietitian, pharmacist, or other professional responsible for maternal and child care, based on baby's individual needs.

When bottle feeding, do not allow prolonged or frequent contact of milk feeds with your baby's teeth as this increases the risk of tooth decay. Ask your healthcare professional or dentist for advice. Make sure your baby's teeth are cleaned after the last feed at night.

Quality guarantee

This product should reach you in perfect condition. If it is not satisfactory please contact us. This guarantee does not affect your statutory rights.

Nutricia Ltd, White Horse Business Park, Trowbridge, Wiltshire, BA14 0XQ

Nutricia Ireland Ltd, Block 1, Deansgrange Business Park, Deansgrange, Co. Dublin

Manufactured in the E.U.

Nutricia and Aptamil[®] are registered trademarks.

Packaged in a protective atmosphere.

Contents may settle in transit.

We are devoted to providing you and your baby our very best. We don't produce for any supermarket own-label brands.

Follow On Milk

Best Before:

See base of pack



DANONE



Recycle



GIÁM ĐỐC

Phạm Khắc Cường

NUTRICIA

Aptamil[®]

ADVANCED

Suitable in
combination
with breastfeeding
or for formula feeding

2

6 - 12 MONTHS
FOLLOW ON MILK

Vitamin D
to support the
normal function of
the immune system

Our unique blend of
GOS/FOS and 2'FL

Vitamins A, B₂, C
DHA (Omega-3 LCP)
Iron



GIÁM ĐỐC

Phạm Khắc Cường

PREPARING YOUR BABY'S FEED

Because powdered milks are not sterile, failure to follow instructions may make your baby ill.

After 6 months, once weaning is established, we recommend giving your baby about 1 pint (500-600ml) per day.

Aptamil® ADVANCED Follow On Milk helps meet the increased nutritional needs of infants from 6 to 12 months.

This information is given as a guide only. Consult your healthcare professional if you require more advice.

Approx. 1 beaker	No. of level scoops per feed (1 scoop = 4.8g)	Quantity of water per feed	
		ml	fl.oz
	7	210	7

IMPORTANT: Always use the scoop provided, please note the colour of the scoop may change from time to time.



1 Wash hands and sterilise all utensils according to manufacturers' instructions.



Boil 1 litre of freshly run water. Leave kettle to cool for 30 minutes and no longer. Measure the required amount of water (refer to feeding guide) into a sterilised beaker. Be careful of scalding. Do not use artificially softened or repeatedly boiled water.



3 Using the scoop provided, level off the powder with the built in leveller. Do not press/heap the powder.



4 Add the correct measure of powder to the water. Adding too many or too few scoops can be harmful. Place the sterilised lid on the beaker and **shake immediately, vertically and vigorously for at least 10 seconds until the powder is dissolved.**



5 Cool under running tap. Check temperature of feed. Feed immediately.



GIÁM ĐỐC

Phạm Khắc Cường

IMPORTANT FEEDING AND STORAGE ADVICE

- ☒ Make up each feed as required. ☒ For hygiene reasons, do not store made up feeds, discard unfinished feeds as soon as possible, and always within 2 hours. ☒ Do not heat feeds in a microwave, hot spots may occur and cause scalding. ☒ Never add extra scoops or anything else to your baby's feed. ☒ Never leave your baby alone during feeding. ☒ Store powder in a cool, dry place. ☒ Do not refrigerate. ☒ Use powder within 4 weeks of opening.

EVERY LITTLE STEP COUNTS

- ☒ Factory is 100% powered by renewable electricity and sends zero waste to landfill
- ☒ Fully recyclable pack. Click the scoop back into the lid before recycling.



UK: 0800 996 1000
(8:00-20:00 Monday - Friday)

Visit www.aptaclub.co.uk to contact us via WhatsApp, Facebook Messenger or Live Chat

ROI: 1 800 22 12 34
(8:30-17:30 Monday-Friday)

www.aptaclub.ie / aptaclubireland
ask@aptaclub.ie

800g e

NUTRICIA

Aptamil®

ADVANCED

Suitable in
combination
with **breastfeeding**
or for **formula feeding**

2

6 - 12 MONTHS
FOLLOW ON MILK

Vitamin D to support the
normal function of the immune
system
Our unique blend of GOS/FOS
and 2'FL**
Vitamins A, B₂, C
DHA (Omega-3 LCP)
Iron

 **Palm Oil Free**
Oil Blend

** GOS/FOS and 2'FL - our blend of Galacto- and
Fructo-oligosaccharides with 2'-Fucosyllactose.



**SUPPORTING YOU ON
YOUR BABY'S JOURNEY**
APTAMIL® ADVANCED TODDLER MILK
is tailored for toddlers from 1 to 3 years as
part of a varied, balanced diet.

• With Vitamin D to support the normal function of the immune
system • Our unique blend of GOS/FOS and 2'FL



1043950 031378 4-2
PDS: 125552.01_VI



GIÁM ĐỐC

Phạm Khắc Cường